

Revised edition no: 3 Date: 1/6/2014

Page: 1 of 7

Supersedes: 0/0/0

EIGA018C

Carbon dioxide (solid)

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Carbon dioxide (solid)

SDS no : EIGA018C

Chemical description Carbon dioxide (solid)

CAS No :124-38-9 EC No: 204-696-9 Index No :--

Registration-No. : Listed in Annex IV / V REACH, exempted from registration.

Chemical formula

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Industrial and professional. Perform risk assessment prior to use.

Cooling (Food additive E290).

Blast cleaning. Metal cooling.

Contact supplier for more information on uses.

1.3. Details of the supplier of the safety data sheet

Company identification : ICS

Verzetstraat 10

5171PT Kaatsheuvel NETHERLANDS Postbus 248 5170AE Kaatsheuvel e-mail: info@icsdryice.com www.icsdryice.com

1.4. Emergency telephone number

Emergency telephone number : Tel: +31 (0) 416 283 331

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category Code Regulation EC 1272/2008 (CLP)

Not regulated.

Classification EC 67/548 or EC 1999/45

: Not classified as dangerous substance / mixture.

Not included in Annex VI. No EC labelling required.

2.2. Label elements

Labelling Regulation EC 1272/2008 (CLP)

: None.

2.3. Other hazards

: Refrigerated solidified gas. Contact with product may cause cold burns or frostbite.

Asphyxiant in high concentrations.

ICS

In case of emergency: Tel: +31 (0) 416 283 331



Date: 1/6/2014

Page: 2 of 7

Revised edition no: 3

Supersedes: 0/0/0

EIGA018C

Carbon dioxide (solid)

SECTION 3. Composition/information on ingredients

3.1. Substance / 3.2. Mixture

Substance.

Substance name		Contents	CAS No EC No Index No Registration No	Classification(DSD)	Classification(CLP)
Carbon dioxide (solid)	:	100 %	124-38-9 204-696-9	Not classified (DSD)	Not classified (GHS)

Contains no other components or impurities which will influence the classification of the product.

- 1: Listed in Annex IV / V REACH, exempted from registration.
- * 2: Registration deadline not expired.
- * 3: Registration not required: Substance manufactured or imported < 1t/y.

SECTION 4. First aid measures

4.1. Description of first aid measures

- Inhalation : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep

victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Obtain - Skin contact

medical assistance.

- Eye contact : Adverse effects not expected from this product.

- Ingestion Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

: In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/

consciousness. Victim may not be aware of asphyxiation.

Low concentrations of CO2 cause increased respiration and headache.

4.3. Indication of any immediate medical attention and special treatment needed

: None.

SECTION 5. Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray or fog.

- Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

Specific hazards : None. **Hazardous combustion products** : None.

5.3. Advice for fire fighters

Specific methods : Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat

radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering

sewers and drainage systems.

Use water spray or fog to knock down fire fumes if possible.

Special protective equipment for fire

Use self-contained breathing apparatus.

Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full

face mask.

Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire

fighters.

Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for

firefighters.

ICS Verzetstraat 10 5171PT Kaatsheuvel NETHERLANDS

Postbus 248 5170AE Kaatsheuvel e-mail: info@icsdryice.com www.icsdryice.com

In case of emergency: Tel: +31 (0) 416 283 331



Revised edition no : 3

Date : 1 / 6 / 2014

Page: 3 of 7

Supersedes : 0 / 0 / 0

EIGA018C

Carbon dioxide (solid)

SECTION 5. Firefighting measures (continued)

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

: Use protective clothing.

Evacuate area.

Wear self-contained breathing apparatus when entering area unless atmosphere is proved to

be safe.

Ensure adequate air ventilation.

Act in accordance with local emergency plan.

Stay upwind.

6.2. Environmental precautions

: Prevent from entering sewers, basements and workpits, or any place where its accumulation

6.3. Methods and material for containment and cleaning up

: Ventilate area.

6.4. Reference to other sections

: See also sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Safe use of the product

: Refer to supplier's container handling instructions.

The substance must be handled in accordance with good industrial hygiene and safety

procedures

Use only properly specified equipment which is suitable for this product, its supply pressure

and temperature. Contact your gas supplier if in doubt.

Do not smoke while handling product.

Do not breathe gas.

Avoid release of product into atmosphere.

7.2. Conditions for safe storage, including any incompatibilities

: Keep container below 50°C in a well ventilated place.

Observe all regulations and local requirements regarding storage of containers.

7.3. Specific end use(s)

: None.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Carbon dioxide (solid)

: WNG TWA 8H (NL) [mg/m³]: 9000

DNEL: Derived no effect level (Workers)

: No data available.

PNEC: Predicted no effect

concentration

: No data available.

8.2. Exposure controls

8.2.1. Appropriate engineering

controls

: Oxygen detectors should be used when asphyxiating gases may be released. Ensure exposure is below occupational exposure limits (where available).

Provide adequate general and local exhaust ventilation. Consider work permit system e.g. for maintenance activities.

ICS

In case of emergency: Tel: +31 (0) 416 283 331



Page: 4 of 7 Revised edition no: 3 Date: 1/6/2014

Supersedes: 0 / 0 / 0

EIGA018C

Carbon dioxide (solid)

SECTION 8. Exposure controls/personal protection (continued)

e.g. personal protective equipment

8.2.2. Individual protection measures, : A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk.

The following recommendations should be considered:

PPE compliant to the recommended EN/ISO standards should be selected.

· Eye/face protection : Wear safety glasses with side shields.

Standard EN 166 - Personal eye-protection.

Skin protection

- Hand protection : Wear working gloves when handling gas containers.

Standard EN 388 - Protective gloves against mechanical risk.

Wear safety shoes while handling containers. - Other

Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

: Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be · Respiratory protection

used in oxygen-deficient atmospheres.

Standard ÉN 137 - Self-contained open-circuit compressed air breathing apparatus with full

face mask.

 Thermal hazards : Wear cold insulating gloves.

Standard EN 511 - Cold insulating gloves.

8.2.3. Environmental exposure

controls

: None necessary.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state at 20°C / 101.3kPa : Gas.

: Refrigerated solidified gas. Physical state

Colour

Odour : No odour warning properties.

: Odour threshold is subjective and inadequate to warn of overexposure. **Odour threshold**

pH value : Not applicable.

Molar mass [g/mol]

: -78.5 (-57@5,2 bar) Melting point [°C]

Boiling point [°C] : -56.6 (s) Critical temperature [°C] : 30

: Not applicable for gases and gas mixtures. Flash point [°C] Evaporation rate (ether=1) : Not applicable for gases and gas mixtures.

Flammability range [vol% in air] : Non flammable. Vapour pressure [20°C] : 57.3 bar Relative density, gas (air=1) : 1.52 Relative density, liquid (water=1) : 1.03

Solubility in water [mg/l] : 2000 Completely soluble.

Partition coefficient n-octanol/water [: 0.83

log Kow]

Auto-ignition temperature [°C] : Not applicable. Viscosity at 20°C [mPa.s] : Not applicable. **Explosive Properties** : Not applicable. **Oxidising Properties** : None.

9.2. Other information

Other data : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below

ground level.

e-mail: info@icsdryice.com www.icsdryice.com



Page: 5 of 7

Revised edition no: 3

Date: 1 / 6 / 2014

Supersedes: 0/0/0

EIGA018C

Carbon dioxide (solid)

SECTION 10. Stability and reactivity

10.1. Reactivity

: None.

10.2. Chemical stability

: Stable under normal conditions.

10.3. Possibility of hazardous reactions

: None.

10.4. Conditions to avoid

: None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

: For additional information on compatibility refer to ISO 11114.

10.6. Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity : In high concentrations cause rapid circulatory insufficiency. Symptoms are headache, nausea

and vomiting, which may lead to unconsciousness. Unlike simple asphyxiants, carbon dioxide has the ability to cause death even when normal oxygen levels (20-21%) are maintained. 5% CO2 has been found to act synergistically to increase the toxicity of certain other gases (CO, NO2). CO2 has been shown to enhance the production of carboxy- or met-hemoglobin by these gases possibly due to carbon dioxide's stimulatory effects on the respiratory and

circulatory systems.

 Skin corrosion/irritation
 : No known effects from this product.

 Serious eye damage/irritation
 : No known effects from this product.

 Respiratory or skin sensitisation
 : No known effects from this product.

 Carcinogenicity
 : No known effects from this product.

 Germ cell mutagenicity
 : No known effects from this product.

 Reproductive toxicity
 : No known effects from this product.

 STOT-single exposure
 : No known effects from this product.

 STOT-repeated exposure
 : No known effects from this product.

Aspiration hazard : Not applicable for gases and gas mixtures.

SECTION 12. Ecological information

12.1. Toxicity

Assessment : No ecological damage caused by this product.

12.2. Persistence and degradability

Assessment : No ecological damage caused by this product.

12.3. Bioaccumulative potential

Assessment : No ecological damage caused by this product.

12.4. Mobility in soil

Assessment : No ecological damage caused by this product.

12.5. Results of PBT and vPvB assessment

: Not classified as PBT or vPvB.

ICS

In case of emergency: Tel: +31 (0) 416 283 331



Revised edition no: 3

Date: 1/6/2014

Page: 6 of 7

Supersedes: 0 / 0 / 0

EIGA018C

Carbon dioxide (solid)

SECTION 12. Ecological information (continued)

12.6. Other adverse effects

: Can cause frost damage to vegetation.

Effect on the ozone layer : None. Global warming potential [CO2=1]

Effect on global warming : When discharged in large quantities may contribute to the greenhouse effect.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

: Do not discharge into any place where its accumulation could be dangerous.

Discharge to atmosphere in large quantities should be avoided.

Refer to the EIGA code of practice Doc.30 ""Disposal of Gases"", downloadable at http://www.

eiga.org for more guidance on suitable disposal methods.

Consult supplier for specific recommendations.

List of hazardous waste codes (from Commission Decision 2001/118/EC)

: 16 05 05: Gases in pressure containers other than those mentioned in 16 05 04.

13.2. Additional information

: None.

SECTION 14. Transport information

14.1. UN number

UN number : 1845

14.2. UN proper shipping name

Transport by road/rail (ADR/RID) : CARBON DIOXIDE, SOLID Transport by air (ICAO-TI / IATA-DGR) : CARBON DIOXIDE, SOLID : CARBON DIOXIDE, SOLID Transport by sea (IMDG)

14.3. Transport hazard class(es)

Transport by road/rail (ADR/RID)

Class : 9 Classification code : M11 III H.I. nr

Transport by air (ICAO-TI / IATA-DGR)

Transport by sea (IMDG)

Emergency Schedule (EmS) - Fire : F-C Emergency Schedule (EmS) - Spillage : S-V

14.4. Packing group

Transport by road/rail (ADR/RID) : Not applicable. Transport by air (ICAO-TI / IATA-DGR) : Not applicable. : Not applicable. Transport by sea (IMDG)

14.5. Environmental hazards

Transport by road/rail (ADR/RID) : None. Transport by air (ICAO-TI / IATA-DGR) : None. Transport by sea (IMDG) : None.

14.6 Special precautions for user

Packing Instruction(s)

Transport by air (ICAO-TI / IATA-DGR)

ICS

In case of emergency: Tel: +31 (0) 416 283 331



Page: 7 of 7 Revised edition no: 3 Date: 1/6/2014

Supersedes: 0 / 0 / 0

EIGA018C

Carbon dioxide (solid)

SECTION 14. Transport information (continued)

Passenger and Cargo Aircraft

: Allowed.

Packing instruction - Passenger and

: 954

Cargo Aircraft

Packing instruction - Cargo Aircraft

: 954

Transport by sea (IMDG)

: P003

Special precautions for user

: Avoid transport on vehicles where the load space is not separated from the driver's

compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the

event of an accident or an emergency. Before transporting product containers: - Ensure that containers are firmly secured. - Ensure cylinder valve is closed and not leaking.

- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

- Ensure valve protection device (where provided) is correctly fitted.

Ensure there is adequate ventilation.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex : Not applicable. II of MARPOL 73/78 and the IBC Code

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions on use : None. Seveso directive 96/82/EC : Not covered.

National legislation

National legislation : Ensure all national/local regulations are observed.

15.2. Chemical safety assessment

: A CSA does not need to be carried out for this product.

SECTION 16. Other information

Indication of changes

: Revised safety data sheet in accordance with commission regulation (EU) No 453/2010.

Training advice

: The hazard of asphyxiation is often overlooked and must be stressed during operator training.

Further information

This Safety Data Sheet has been established in accordance with the applicable European

DISCLAIMER OF LIABILITY

: Whilst proper care has been taken in the preparation of this document, no liability for injury or

damage resulting from its use can be accepted.

Details given in this document are believed to be correct at the time of going to press. Before using this product in any new process or experiment, a thorough material compatibility and

safety study should be carried out.

The contents and format of this SDS are in accordance with EC Commission Directive 2001/58/EC.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

ICS

In case of emergency: Tel: +31 (0) 416 283 331